



TEXPRO®

SHF 环保型双环高温溢流染色机

**SHF ENVIRONMENTAL FRIENDLY DOUBLE ROPES HIGH TEMPERATURE
DYEING MACHINE**

SHF 环保型双环高温溢流染色机

SHF ENVIRONMENTAL FRIENDLY DOUBLE ROPES HIGH TEMPERATURE DYEING MACHINE

SHF 是针对特轻薄织物和毛绒类织物专门设计的一款特的管式上行（内置）染色机，染色浴比 1:4-12 节能减排。行机稳定，载量大，不乱毛，无折痕。


The SHF is a tube-type upward dyeing machine designed specifically for extra-low gsm light weight fabrics and plush fabrics, with a liquid ratio of 1:4 - 12 to save energy and significantly reduce sewage discharge. It operates smoothly and stably with a large capacity loading, leaving the hair neat without any distortion or crease marks after dyeing.

规格 Specification									
管数 / 布槽 No. Of Tube/ Chamber	1/1				1/2			2/4	4/8
容布量 (KG) Load Capacity (Kg)	30	60	75	100	150	200	250	500	1000
装机功率 (KW) Installed Power (KW)	13.25		13.62		21.12		21.82	39.92	71.87

技术参数 Technical Parameters	
设计温度: 140°C Designed Temperature: 140° C	设计压力: 0.3MPa Designed Pressure: 0.3mpa
浴 比: 1:4-12 Liquid Ratio 1:4 -12	平均升温速率: 3-6°C /min Average Heating Rate: 3-6°C /Min
织物线速度范围: 0-540m/min Fabric Linear Velocity Range: 0-540m/Min	平均降温速率: 2.5°C /min Average Cooling Rate: 2.5°C /Min

如有需求特殊载量，详情请咨询我司营业顾问

If any special request for loading capacity, please contact our sales team for details.



缸体所有和染液直接接触的不锈钢板材均采用 S31603/SUS316L/SUS316Ti 高度抗腐蚀不锈钢制造。

All stainless steel plates in touch with the dyeing liquid in the machine body are made of S31603 / SUS316L / SUS316Ti highly corrosion resistant stainless steel.

设备特点

SALIENT FEATURE



模块化设计
Modular design



单管双槽，大载量
Single tube, Double chamber
Large load capacity



复合变径扩展
功能的导布管
Fabric conduit with composite
variable diameter expansion
function



喷嘴间隙手动调节
1.6/2.6/3.2/4mm
Manually adjustable
nozzle gap
1.6/2.6/3.2/4mm

布料类型


FABRIC TYPES

在特定的行机条件下，部分典型的适染布种

The SHF is suitable for a wide range of knitted and woven fabrics. Due to its high versatility, it is particularly recommended for synthetic or cellulose fiber blends in knitted and warp-knitted fabrics.



泳衣 / 内衣 Swimwear/Underwear



涤 / 锦 / 运动面料 Polyester/Nylon/Sports Fabric



涤 / 锦花边 Polyester/Nylon Lace



网布 Netting



纱布 Gauze



绒布 / 长绒棉 Flannel/Long Staple Cotton

以上参数仅供参考

Above information is a selection of fabrics suitable for processing on SHF environmental friendly double ropes high temperature dyeing machine. This selection is for reference only. Please contact our representative for a comprehensive list of fabrics.

本说明书中参数、图片仅供参考，本公司保留最终的修改权利而不再另行通知。

The parameters & pictures shown in this catalogue are only for your reference. We reserve the right to modify technologies without prior notice.

电话 (Tel): +86 757 8802 0263 / +86 757 8830 3380

邮箱 (E-mail): sales@texpro-group.com

网站 (Web): www.texpro-group.com



三技精密技术 (广东) 股份有限公司

TEXPRO PRECISION TECHNOLOGY (GUANGDONG) CO., LTD

地址 : 广东省佛山市禅城区华宝南路 1 号

Add: No.1, South Huabao Road, Chancheng District, Foshan,
Guangdong, China.

浙江德仕博智能装备有限公司

ZHEJIANG TEXPRO INTELLIGENT EQUIPMENT CO., LTD

地址 : 浙江省绍兴市柯桥区马鞍街道滨海大道与生产河交叉口以西

Add: West of the intersection of Binhai Avenue and Production River in
Ma'an Street, Keqiao District, Shaoxing, Zhejiang, China.