

TEXPRO®

## SHQ 高温快速染色机

SHQ HIGH TEMPERATURE AND QUICK DYEING MACHINE

# SHQ 高温快速染色机

## SHQ HIGH TEMPERATURE AND QUICK DYEING MACHINE

SHQ 是一台适用性广泛，可生产市场上绝大多数面料，特别在化纤染色时有很好效果的管式下行染色机，染色浴比 1:5-12 节能减排。低机台设计减小织物张力，染色后缩率小，无折痕，手感更佳。

The SHQ is a versatile tube downstream dyeing machine widely used for producing various fabrics, especially effective for synthetic fiber fabric dyeing. It offers energy-saving and reduced sewage discharge due to its 1:5 – 12 dyeing liquid ratio. The downstream fabric movement design significantly reduces tension, shrinkage, crease marks, and enhance the overall hand feel.

基本技术参数 Basic Technical Parameters						
型号 Model	管数 No. Of Tube	最大载量 (kg) Maximum Load Capacity (KG)	装机容量 (kw) Installed Power (KW)	外形尺寸 (mm) Machine Dimension (MM)		
				L	W	H
SHQ30	1T	30	20.05	5700	1700	2900
SHQ50	1T	50	20.05	6850	2000	2900
SHQ75	1T	75	20.75	7750	2000	2900
SHQ100	1T	100	20.75	8500	2000	2900
SHQ250	1T	250	28.82	9600	2500	3350
	2T	500	46.92	9600	4000	3350
	4T	1000	91.87	9600	7700	3350

如有需求特殊载量，详情请咨询我司营业顾问

If any special request for loading capacity, please contact our sales team for details.



缸体所有和染液直接接触的不锈钢板材均采用 S31603/SUS316L/SUS316Ti 高度抗腐蚀不锈钢制造。

All stainless steel plates in touch with the dyeing liquid in the machine body are made of S31603 / SUS316L / SUS316Ti highly corrosion resistant stainless steel.

# 设备特点

## SALIENT FEATURE



模块化  
设计

Modular  
design



防漩结构  
设计

Anti-swirl  
structure  
design



单管双槽，  
大载量

Single tube double  
chamber design  
Large load capacity



缸身尾底部  
蝶阀调节

Butterfly valve  
adjustment at the  
tail bottom



喷嘴间隙手动调节  
1.6/2.6/3.2/4mm

Manually adjustable  
nozzle gap  
1.6/2.6/3.2/4mm

# 布料类型

## FABRIC TYPES

在特定的行机条件下，部分典型的适染布种

The SHQ is suitable for a wide range of knitted and woven fabrics. Due to its high versatility, it is particularly recommended for synthetic or cellulose fiber blends in knitted and warp-knitted fabrics.




泳衣 / 内衣 Swimwear/Underwear



人棉 TR/Nrcotton/TR/NR




涤 / 锦花边 Polyester/Nylon Lace



机织面料 Woven Fabric



涤纶鞋材 Polyester Shoe Material



涤 / 锦 / 运动面料 Polyester/Nylon/Sports Fabric

以上参数仅供参考

Above information is a selection of fabrics suitable for processing on SHQ high temperature and quick dyeing machine. This selection is for reference only. Please contact our representative for a comprehensive list of fabrics.

本说明书中参数、图片仅供参考，本公司保留最终的修改权利而不再另行通知。

The parameters & pictures shown in this catalogue are only for your reference. We reserve the right to modify technologies without prior notice.

---

电话 (Tel): +86 757 8802 0263 / +86 757 8830 3380

邮箱 (E-mail): sales@texpro-group.com

网站 (Web): www.texpro-group.com



---

三技精密技术 (广东) 股份有限公司

TEXPRO PRECISION TECHNOLOGY (GUANGDONG) CO., LTD

地址 : 广东省佛山市禅城区华宝南路 1 号

Add: No.1, South Huabao Road, Chancheng District, Foshan,  
Guangdong, China.

---

浙江德仕博智能装备有限公司

ZHEJIANG TEXPRO INTELLIGENT EQUIPMENT CO., LTD

地址 : 浙江省绍兴市柯桥区马鞍街道滨海大道与生产河交叉口以西

Add: West of the intersection of Binhai Avenue and Production River in  
Ma'an Street, Keqiao District, Shaoxing, Zhejiang, China.